

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: ORION

Supplier's address: Qualitätssicherung, Oberlaaerstraße 284, 1230 Wien, AT

Model identifier: LED 12c2 12W SMD(32pcs) D754x13mm 1/6 3000K

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	LED module		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes


Product parameters

Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	15	Energy efficiency class	F
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	1 700 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P_{on}), expressed in W	15,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	395	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	13	
	Depth	1	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,440 0,403
Parameters for LED and OLED light sources:			
R9 colour rendering index value	0	Survival factor	0,90
the lumen maintenance factor	0,96		

(a) : not applicable;

(b) : not applicable;



Color Parameters:

Chromaticity Coordinate: x=0.4345 y=0.4034/u'=0.2493 v'=0.5208

CCT=3037K(Duv=0.0001) Dominant WL:Ld =582.6nm Purity=51.5%

Ratio:R=22.5% G=74.6% B=2.9% Peak WL:Lp=598.9nm FWHM=119.4nm

Render Index:Ra=81.2

R1 =80	R2 =92	R3 =94	R4 =78	R5 =80	R6 =91	R7 =80
R8 =55	R9 =0	R10=82	R11=77	R12=72	R13=83	R14=97
						R15=72

Photo Parameters:

Flux = 1760 lm Eff. : 124.87 lm/W Fe = 5.299 W

Electrical parameters:

V = 6.7100 V I = 2.100 A P = 14.09 W PF = 1.000

WHITE:ANSI_3000K