Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name	or trade mark:	ORION
-----------------	----------------	-------

Supplier's address: Qualitätssicherung, Oberlaaerstraße 284, 1230 Wien, AT

Model identifier: LED 5,5c 5,5W SMD(78pcs) 515x12mm 3000-6500K

_		•	•••			
11/1	20	Λt	$\mathbf{H}\boldsymbol{\alpha}$	nt	$c \cap$	urca.
1 7 1	JE	UI.	IIE	116	30	urce:


Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type	LED module			
(or other electric interface)				
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	Yes	
Product parameters				

Product parameters				
Parameter		Value	Parameter	Value
		General product p	parameters:	
Energy consummode (kWh/10) up to the neares	00 h), rounded	6	Energy efficiency class	F
dicating if it refe	, in a wide cone	580 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	30006500
On-mode pow pressed in W	ver (P _{on}), ex-	5,5	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	515	Spectral power dis-	See image
sions without	Width	12	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	2	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,438	
		nates (x and y)	0,403	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	11	Survival factor	0,90	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;

Attachment No. 1: Photometric test record of light source at initial measurement



TRF No.: 02-N003-2A Global Testing , Great Quality.

R13=82

R15=76

R12=59

R9 =11

R10=68

R11=82